



TIF GB 1536-4  
NIBE™ F470  
M11134

# SOUND POWER LEVEL F470

## A-weighted sound power level according to EN 12102

**dB(A) re 1pW**

		Min <sup>1</sup>	Nominal <sup>2</sup>	Max <sup>3</sup>
Product	$L_{W(A)}$	51,5	52,5	54,5
Extract air	$L_{W(A)}$	43,0	52,5	59,5
Exhaust air	$L_{W(A)}$	41,0	50,0	57,5
Outdoor air	$L_{W(A)}$	43,0	49,0	54,5
Supply air	$L_{W(A)}$	43,5	51,0	56,0

<sup>1</sup> 110 m<sup>3</sup>/h at 100 Pa

<sup>2</sup> 190 m<sup>3</sup>/h at 175 Pa

<sup>3</sup> 270 m<sup>3</sup>/h at 240 Pa

## Sound power level according to EN 12102

**dB re 1pW**

		Min <sup>1</sup>	Nominal <sup>2</sup>	Max <sup>3</sup>
Product	$L_W$	61,0	64,0	66,0
Extract air	$L_W$	55,0	64,5	72,0
Exhaust air	$L_W$	54,0	63,0	70,0
Outdoor air	$L_W$	54,5	60,0	65,5
Supply air	$L_W$	55,0	62,0	67,5


<sup>1</sup> 110 m<sup>3</sup>/h at 100 Pa

<sup>2</sup> 190 m<sup>3</sup>/h at 175 Pa

<sup>3</sup> 270 m<sup>3</sup>/h at 240 Pa


## F470

**Sound power level  
(dB(A) re 1pW)**




### Duct extract air

Sound power level  
(dBA re 1pW)




### Duct exhaust air

Sound power level  
(dBA re 1pW)



### Duct outdoor air

Sound power level  
(dBA re 1pW)



### Duct supply air

Sound power level  
(dBA re 1pW)

